



**Date of Application:** 

## **Tree Permit Application**

Application Number

Property Owner:			Phone:	
Site Address:			Email:	
Con	tractor:		Pho	ne: Email:
٧	I would like to: (Check all tha	t apply)	Number of Trees	Per Tree Permit Fee: \$10 due at Filing Rec'd:_
	PLANT TREE(S) IN THE PLANTING STRI	P		Complete Section A
	REMOVE TREE(S)/STUMP(S) IN PLANT	ING STRIP*		Complete Sections A & B
	PRUNE TREE(S) IN THE PLANTING STRI	Р		Complete Section B
	PRIVATE PROPERTY TREES(S) REMOVE	OR PLANT		Complete Section Page 2
STC	NUMBER AND SPECIES OF THE TREES TO will provide a current list of suggested release. Properties located within the 3	replacement tree	s. Replacem	ARE THERE UTILITY WIRES OVERHEAD? YES NO
STC	will provide a current list of suggested r le trees. Properties located within the 3 *Stumps in the Planting Strip n	replacement tree blocks closest to nust be remove	s. Replacem the ocean s	ent trees must be at least 2.5" caliper nursery stock
SEC	will provide a current list of suggested releases. Properties located within the 3  *Stumps in the Planting Strip of Permit application and term	replacement tree. blocks closest to nust be remove ns are pursuant to	s. Replacem the ocean s ed to 8-12 i	ent trees must be at least 2.5" caliper nursery stock hould plant salt-tolerant trees.  nches below grade and backfilled to grade
SEC	will provide a current list of suggested reletrees. Properties located within the 3  *Stumps in the Planting Strip in Permit application and term  TION B - PERMIT TO REMOVE/PR	replacement tree. blocks closest to nust be remove ns are pursuant to	s. Replacem the ocean s ed to 8-12 i Belmar Orc	ent trees must be at least 2.5" caliper nursery stock hould plant salt-tolerant trees.  Inches below grade and backfilled to grade inance 31-2.6. See 31-2 for additional details.  The planting strip must be replaced.)
SEC Rea	*Stumps in the Planting Strip in Permit application and term  TION B - PERMIT TO REMOVE/PERMITS of Removal/Pruning:	replacement tree. blocks closest to nust be remove ns are pursuant to	s. Replacement the ocean set to 8-12 in Belmar Order Trees removed	ent trees must be at least 2.5" caliper nursery stock hould plant salt-tolerant trees.  Inches below grade and backfilled to grade inance 31-2.6. See 31-2 for additional details.  The planting strip must be replaced.)



## Private Property Tree Permit

Application Number	

Please answer the questions below on removal and planting to the best of your ability. No trees may be touched in any way without the approval of the Shade Tree Commission.

Property Owner:	Phone:			
Site Address & Block/Lot:	Email:			
Contractor:	Phone: Email:			
Removal				
Planting				

**Applicant**, please describe the overall work to be performed; the location of the trees to be removed and/or planted as they relate to the overall landscape. This will be used by the Shade Tree Commission to access the Permit Application. Include a diagram of property trees to be removed and/or added. Please use available reference material as a guide.